

## EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	36	("5633932"   "5850516"   "5850517"   "5963731"   "5968176"   "5974549"   "6009456"   "6065118"   "6141327"   "6173405"   "6189103"   "6192354"   "6233601"   "6272528"   "6308181"   "6539416"   "6615232"   "6622157"). PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/11/10 06:50
L2	11095	(jumping or mobile) (application or app or agent)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/11/10 06:50
L3	36	("5633932"   "5850516"   "5850517"   "5963731"   "5968176"   "5974549"   "6009456"   "6065118"   "6141327"   "6173405"   "6189103"   "6192354"   "6233601"   "6272528"   "6308181"   "6539416"   "6615232"   "6622157"). PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/11/10 06:50
L4	34558	(secur\$3 or trust\$3 or authoriz\$4) (code or app or application or software or job or source)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/11/10 06:50
L5	520	L2 and L4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/11/10 06:50
L6	43819	(remove or replace) near3 (code or app or application or source)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/11/10 06:50
L7	57	L5 and L6	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/11/10 06:50
L8	2	("2001/0051515").URPN.	USPAT	ADJ	ON	2008/11/10 06:50

L9	49844	(mobile or executable or jump\$) adj (code or software or document or application or agent)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/11/10 06:50
L10	1	("6622157"). PN.	US-PGPUB; USPAT	OR	OFF	2008/11/10 06:50
L11	7971	709/223.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/11/10 06:50
L12	8146	709/224.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/11/10 06:50
L13	3606	709/225.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/11/10 06:50
L14	3471	709/226.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/11/10 06:50
L15	4236	709/229.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/11/10 06:50
L16	22106	L10 or L11 or L12 or L13 or L14 or L15	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/11/10 06:50
L17	3605	(remove\$3 or replac\$3 or strip\$4 or eliminate) code	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/11/10 06:50
L18	36	L16 and L17	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/11/10 06:50
L19	43819	(remove or replace) near3 (code or app or application or source)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/11/10 06:50

L20	520	L16 and L19	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/11/10 06:50
L21	18085	"717".clas.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/11/10 06:50
L22	43819	(remove or replace) near3 (code or app or application or source)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/11/10 06:50
L23	1420	L21 and L22	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/11/10 06:50
L24	660	L23 and database	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/11/10 06:50
L25	1	10/686886	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/11/10 06:50
L26	1	10/686897	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/11/10 06:50
L27	43174	(jumping or mobile or intelligent or autonomous) near2 (application or agent)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/11/10 06:50
L28	52339	(jumping or mobile or intelligent or autonomous) near2 (application or agent or code)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/11/10 06:50
L29	2300	security and ((replace or remove or swap) same (code or malicious or virus) same (server or database or codebase))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/11/10 06:50

L30	306	L28 and L29	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/11/10 06:50
L31	7	09/591034	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/11/10 06:50
L32	51	"5787427"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/11/10 06:50
L33	51	"5787427"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/11/10 06:50
L34	3441	replac\$4 with (code or program) same (server or database or codebase)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/11/10 06:50
L35	251	L28 and L34	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/11/10 06:50
L36	1	replac\$4 with ((malicious or bad) (code or program)) same (server or database or codebase)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/11/10 06:50
L37	11	replac\$4 with ((malicious or bad) (code or program)) same (server or database or codebase)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/11/10 06:50
L38	171	replace with code with database	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/11/10 06:50
L39	0	replace same (untrusted or malicious or suspicious) (code or program) same (secure or trusted or protected) same (database or server or codebase)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/11/10 06:50

L40	132	replace same (malicious or untrusted or suspicious) same (code or program)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/11/10 06:50
L41	58	Jumping Beans	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/11/10 06:50
L42	32593	(replac\$4 or remov\$4 or swap\$4) same (code or program or software or executable) same (server or database or codebase)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/11/10 06:50
L43	15503	(replac\$4 or remov\$4 or swap\$4) with (code or program or software or executable) same (server or database or codebase)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/11/10 06:50
L44	15216	((client near2 server) or (hub near2 spoke)) (architecture or design or network)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/11/10 06:50
L45	867	L43 and L44	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/11/10 06:50
L46	534	(trusted or secur\$4) and L45	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/11/10 06:50
L47	77	(trusted or secur\$4) same L43 and L45	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/11/10 06:50
L48	485	replac\$4 with (safe or trusted or secure) with (code or executable or software or program)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/11/10 06:50
L49	79	restor\$4 with (safe or trusted or secure) with (code or executable or software or program) same (database or codebase or server)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/11/10 06:50

L50	33	"6065039"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/11/10 06:50
L51	1340	(restor\$4 or replac\$4) with (modif\$4 or alter\$4 or chang\$4 or tamp\$4) with (code or program or executable or software) same (database or codebase or server or secur \$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/11/10 06:50
L52	354	(restor\$4 or replac\$4) with (modif\$4 or alter\$4 or chang\$4 or tamp\$4) with (code or program or executable or software) same (database or codebase or server or secur \$4) same (original or trusted or secure or safe)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/11/10 06:50
L53	536	726/30.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/11/10 06:50
L54	19	726/30.ccls. and (replac\$4 or remo\$4) (code or program or software or executable)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/11/10 06:50
L55	12	726/30.ccls. and (replac\$4 or remov\$4) (code or program or software or executable)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/11/10 06:50
L56	27041	(replac\$4 or remov\$4 or restor\$4 or swap\$4) and (original or trusted or unmodified or safe or tamper proof) and (code or program or software or executable) and ((trusted or secur\$4 or tamper proof or protected) near2 (code or codebase or database or server or processor or memory or storage))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/11/10 06:50
L57	268618	"726".clas. or "713".clas. or "380".clas. or "709". clas. or "455".clas.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/11/10 06:50

L58	11433	L56 and L57	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/11/10 06:50
L59	52339	(jumping or mobile or intelligent or autonomous) near2 (application or agent or code)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/11/10 06:50
L60	1242	L58 and L59	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/11/10 06:50
L61	8809	(replac\$4 or remov\$4 or restor\$4 or swap\$4) same (original or trusted or unmodified or safe or tamper proof) and (code or program or software or executable) and ((trusted or secur\$4 or tamper proof or protected) near2 (code or codebase or database or server or processor or memory or storage))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/11/10 06:50
L62	427	L60 and L61	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/11/10 06:50
L63	3679	(replac\$4 or remov\$4 or restor\$4 or swap\$4) same (original or trusted or unmodified or safe or tamper proof) same (code or program or software or executable) and ((trusted or secur\$4 or tamper proof or protected) near2 (code or codebase or database or server or processor or memory or storage))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/11/10 06:50
L64	230	L57 and L59 and L63	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/11/10 06:50

L65	36	("5633932"   "5850516"   "5850517"   "5963731"   "5968176"   "5974549"   "6009456"   "6065118"   "6141327"   "6173405"   "6189103"   "6192354"   "6233601"   "6272528"   "6308181"   "6539416"   "6615232"   "6622157"). PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/11/10 06:50
L66	11095	(jumping or mobile) (application or app or agent)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/11/10 06:50
L67	36	("5633932"   "5850516"   "5850517"   "5963731"   "5968176"   "5974549"   "6009456"   "6065118"   "6141327"   "6173405"   "6189103"   "6192354"   "6233601"   "6272528"   "6308181"   "6539416"   "6615232"   "6622157"). PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/11/10 06:50
L68	34558	(secur\$3 or trust\$3 or authoriz\$4) (code or app or application or software or job or source)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/11/10 06:50
L69	520	L66 and L68	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/11/10 06:50
L70	43819	(remove or replace) near3 (code or app or application or source)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/11/10 06:50
L71	57	L69 and L70	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/11/10 06:50
L72	2	("2001/0051515").URPN.	USPAT	ADJ	ON	2008/11/10 06:50
L73	49844	(mobile or executable or jump\$) adj (code or software or document or application or agent)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/11/10 06:50
L74	1	("6622157").PN.	US-PGPUB; USPAT	OR	OFF	2008/11/10 06:50



L75	7971	709/223.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/11/10 06:50
L76	8146	709/224.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/11/10 06:50
L77	3606	709/225.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/11/10 06:50
L78	3471	709/226.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/11/10 06:50
L79	4236	709/229.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/11/10 06:50
L80	22106	L74 or L75 or L76 or L77 or L78 or L79	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/11/10 06:50
L81	3605	(remove\$3 or replac\$3 or strip\$4 or eliminate) code	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/11/10 06:50
L82	36	L80 and L81	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/11/10 06:50
L83	43819	(remove or replace) near3 (code or app or application or source)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/11/10 06:50
L84	520	L80 and L83	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/11/10 06:50

L85	18085	"717".clas.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/11/10 06:50
L86	43819	(remove or replace) near3 (code or app or application or source)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/11/10 06:50
L87	1420	L85 and L86	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/11/10 06:50
L88	660	L87 and database	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/11/10 06:50
L89	1	10/686886	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/11/10 06:50
L90	1	10/686897	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/11/10 06:50
L91	43174	(jumping or mobile or intelligent or autonomous) near2 (application or agent)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/11/10 06:50
L92	52339	(jumping or mobile or intelligent or autonomous) near2 (application or agent or code)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/11/10 06:50
L93	2300	security and ((replace or remove or swap) same (code or malicious or virus) same (server or database or codebase))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/11/10 06:50
L94	306	L92 and L93	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/11/10 06:50

L95	7	09/591034	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/11/10 06:50
L96	51	"5787427"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/11/10 06:50
L97	51	"5787427"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/11/10 06:50
L98	3441	replac\$4 with (code or program) same (server or database or codebase)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/11/10 06:50
L99	251	L92 and L98	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/11/10 06:50
L100	1	replac\$4 with ((malicious or bad) (code or program)) same (server or database or codebase)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/11/10 06:50
L101	11	replac\$4 with ((malicious or bad) (code or program)) same (server or database or codebase)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/11/10 06:50
L102	171	replace with code with database	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/11/10 06:50
L103	0	replace same (untrusted or malicious or suspicious) (code or program) same (secure or trusted or protected) same (database or server or codebase)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/11/10 06:50
L104	132	replace same (malicious or untrusted or suspicious) same (code or program)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/11/10 06:50

L105	58	Jumping Beans	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/11/10 06:50
L106	32593	(replac\$4 or remov\$4 or swap\$4) same (code or program or software or executable) same (server or database or codebase)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/11/10 06:50
L107	15503	(replac\$4 or remov\$4 or swap\$4) with (code or program or software or executable) same (server or database or codebase)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/11/10 06:50
L108	15216	((client near2 server) or (hub near2 spoke)) (architecture or design or network)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/11/10 06:50
L109	867	L107 and L108	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/11/10 06:50
L110	534	(trusted or secur\$4) and L109	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/11/10 06:50
L111	77	(trusted or secur\$4) same L107 and L109	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/11/10 06:50
L112	485	replac\$4 with (safe or trusted or secure) with (code or executable or software or program)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/11/10 06:50
L113	79	restor\$4 with (safe or trusted or secure) with (code or executable or software or program) same (database or codebase or server)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/11/10 06:50
L114	33	"6065039"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/11/10 06:50

L115	1340	(restor\$4 or replac\$4) with (modif\$4 or alter\$4 or chang\$4 or tamp\$4) with (code or program or executable or software) same (database or codebase or server or secur\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/11/10 06:50
L116	354	(restor\$4 or replac\$4) with (modif\$4 or alter\$4 or chang\$4 or tamp\$4) with (code or program or executable or software) same (database or codebase or server or secur\$4) same (original or trusted or secure or safe)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/11/10 06:50
L117	536	726/30.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/11/10 06:50
L118	19	726/30.ccls. and (replac\$4 or remo\$4) (code or program or software or executable)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/11/10 06:50
L119	12	726/30.ccls. and (replac\$4 or remov\$4) (code or program or software or executable)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/11/10 06:50
L120	27041	(replac\$4 or remov\$4 or restor\$4 or swap\$4) and (original or trusted or unmodified or safe or tamper proof) and (code or program or software or executable) and ((trusted or secur\$4 or tamper proof or protected) near2 (code or codebase or database or server or processor or memory or storage))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/11/10 06:50
L121	268618	"726".clas. or "713".clas. or "380".clas. or "709".clas. or "455".clas.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/11/10 06:50
L122	11433	L120 and L121	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/11/10 06:50

L123	52339	(jumping or mobile or intelligent or autonomous) near2 (application or agent or code)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/11/10 06:50
L124	1242	L122 and L123	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/11/10 06:50
L125	8809	(replac\$4 or remov\$4 or restor\$4 or swap\$4) same (original or trusted or unmodified or safe or tamper proof) and (code or program or software or executable) and ((trusted or secur\$4 or tamper proof or protected) near2 (code or codebase or database or server or processor or memory or storage))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/11/10 06:50
L126	427	L124 and L125	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/11/10 06:50
L127	3679	(replac\$4 or remov\$4 or restor\$4 or swap\$4) same (original or trusted or unmodified or safe or tamper proof) same (code or program or software or executable) and ((trusted or secur\$4 or tamper proof or protected) near2 (code or codebase or database or server or processor or memory or storage))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/11/10 06:50
L128	230	L121 and L123 and L127	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/11/10 06:50
S1	36	("5633932"   "5850516"   "5850517"   "5963731"   "5968176"   "5974549"   "6009456"   "6065118"   "6141327"   "6173405"   "6189103"   "6192354"   "6233601"   "6272528"   "6308181"   "6539416"   "6615232"   "6622157"). PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/05/08 06:55

S2	7466	(jumping or mobile) (application or app or agent)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/01/05 13:57
S3	36	("5633932"   "5850516"   "5850517"   "5963731"   "5968176"   "5974549"   "6009456"   "6065118"   "6141327"   "6173405"   "6189103"   "6192354"   "6233601"   "6272528"   "6308181"   "6539416"   "6615232"   "6622157"). PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/01/05 13:57
S4	25504	(secur\$3 or trust\$3 or authoriz\$4) (code or app or application or software or job or source)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/01/05 13:59
S5	323	S2 and S4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/01/05 14:00
S6	35351	(remove or replace) near3 (code or app or application or source)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/01/05 14:01
S7	38	S5 and S6	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/01/10 09:38
S8	0	("2001/0051515").URPN.	USPAT	ADJ	ON	2007/01/05 14:03
S9	32869	(mobile or executable or jump\$) adj (code or software or document or application or agent)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/01/10 08:00
S10	1	("6622157").PN.	US-PGPUB; USPAT	OR	OFF	2007/01/10 08:03
S11	5441	709/223.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/01/10 08:03

S12	5704	709/224.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/01/10 08:03
S13	2634	709/225.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/01/10 08:03
S14	2403	709/226.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/01/10 08:04
S15	3264	709/229.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/01/10 08:04
S16	15746	S10 or S11 or S12 or S13 or S14 or S15	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/01/10 08:04
S17	3031	(remove\$3 or replac\$3 or strip\$4 or eliminate) code	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/01/10 09:39
S18	29	S16 and S17	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/01/10 09:44
S19	35383	(remove or replace) near3 (code or app or application or source)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/01/11 10:29
S20	360	S16 and S19	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/01/10 09:45
S21	13016	"717".clas.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/01/11 10:30



S23	35436	(remove or replace) near3 (code or app or application or source)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/01/11 10:30
S24	1037	S21 and S23	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/01/11 10:31
S25	468	S24 and database	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/01/11 10:31
S26	1	10/686886	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/05/04 17:47
S27	1	10/686897	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/05/07 14:11
S28	31585	(jumping or mobile or intelligent or autonomous) near2 (application or agent)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/05/07 18:33
S29	38713	(jumping or mobile or intelligent or autonomous) near2 (application or agent or code)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/05/08 09:14
S30	1658	security and ((replace or remove or swap) same (code or malicious or virus) same (server or database or codebase))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/05/07 17:49
S31	207	S29 and S30	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/05/07 18:18
S32	6	09/591034	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/05/07 18:18

S33	39	"5787427"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/05/07 18:31
S34	39	"5787427"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/05/07 18:32
S35	2634	replac\$4 with (code or program) same (server or database or codebase)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/05/07 18:34
S36	193	S29 and S35	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/05/07 18:38
S37	0	replac\$4 with ((malicious or bad) (code or program)) same (server or database or codebase)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/05/07 18:35
S38	8	replac\$4 with ((malicious or bad) (code or program)) same (server or database or codebase)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/05/07 18:35
S39	145	replace with code with database	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/05/07 18:40
S40	0	replace same (untrusted or malicious or suspicious) (code or program) same (secure or trusted or protected) same (database or server or codebase)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/05/07 18:41
S41	81	replace same (malicious or untrusted or suspicious) same (code or program)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/05/07 18:42
S42	54	Jumping Beans	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/05/08 06:58

S43	24375	(replac\$4 or remov\$4 or swap\$4) same (code or program or software or executable) same (server or database or codebase)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/05/08 07:00
S44	11621	(replac\$4 or remov\$4 or swap\$4) with (code or program or software or executable) same (server or database or codebase)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/05/08 07:03
S45	11427	((client near2 server) or (hub near2 spoke)) (architecture or design or network)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/05/08 07:05
S46	672	S44 and S45	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/05/08 07:07
S47	409	(trusted or secur\$4) and S46	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/05/08 07:08
S48	55	(trusted or secur\$4) same S44 and S46	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/05/08 07:11
S49	354	replac\$4 with (safe or trusted or secure) with (code or executable or software or program)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/05/08 07:50
S50	49	restor\$4 with (safe or trusted or secure) with (code or executable or software or program) same (database or codebase or server)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/05/08 07:51
S51	34	"6065039"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/05/08 07:54
S52	1035	(restor\$4 or replac\$4) with (modif\$4 or alter\$4 or chang\$4 or tamp\$4) with (code or program or executable or software) same (database or codebase or server or secur\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/05/08 08:17

S53	265	(restor\$4 or replac\$4) with (modif\$4 or alter\$4 or chang\$4 or tamp\$4) with (code or program or executable or software) same (database or codebase or server or secur\$4) same (original or trusted or secure or safe)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/05/08 08:18
S54	300	726/30.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/05/08 09:01
S55	13	726/30.ccls. and (replac\$4 or remov\$4) (code or program or software or executable)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/05/08 09:03
S56	7	726/30.ccls. and (replac\$4 or remov\$4) (code or program or software or executable)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/05/08 09:06
S57	20186	(replac\$4 or remov\$4 or restor\$4 or swap\$4) and (original or trusted or unmodified or safe or tamper proof) and (code or program or software or executable) and ((trusted or secur\$4 or tamper proof or protected) near2 (code or codebase or database or server or processor or memory or storage))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/05/08 09:17
S58	222181	"726".clas. or "713".clas. or "380".clas. or "709".clas. or "455".clas.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/05/08 09:14
S59	8506	S57 and S58	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/05/08 09:14
S60	38759	(jumping or mobile or intelligent or autonomous) near2 (application or agent or code)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/05/08 09:15

S61	848	S59 and S60	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/05/08 09:15
S62	6603	(replac\$4 or remov\$4 or restor\$4 or swap\$4) same (original or trusted or unmodified or safe or tamper proof) and (code or program or software or executable) and ((trusted or secur\$4 or tamper proof or protected) near2 (code or codebase or database or server or processor or memory or storage))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/05/08 09:20
S63	279	S61 and S62	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/05/08 09:19
S64	2730	(replac\$4 or remov\$4 or restor\$4 or swap\$4) same (original or trusted or unmodified or safe or tamper proof) same (code or program or software or executable) and ((trusted or secur\$4 or tamper proof or protected) near2 (code or codebase or database or server or processor or memory or storage))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/05/08 09:21
S65	144	S58 and S60 and S64	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/05/08 09:25
S66	36	("5633932"   "5850516"   "5850517"   "5963731"   "5968176"   "5974549"   "6009456"   "6065118"   "6141327"   "6173405"   "6189103"   "6192354"   "6233601"   "6272528"   "6308181"   "6539416"   "6615232"   "6622157"). PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/04/14 09:07
S67	9901	(jumping or mobile) (application or app or agent)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/04/14 09:07

S68	36	("5633932"   "5850516"   "5850517"   "5963731"   "5968176"   "5974549"   "6009456"   "6065118"   "6141327"   "6173405"   "6189103"   "6192354"   "6233601"   "6272528"   "6308181"   "6539416"   "6615232"   "6622157"). PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/04/14 09:07
S69	31392	(secur\$3 or trust\$3 or authoriz\$4) (code or app or application or software or job or source)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/04/14 09:07
S70	462	S67 and S69	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/04/14 09:07
S71	40996	(remove or replace) near3 (code or app or application or source)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/04/14 09:07
S72	53	S70 and S71	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/04/14 09:07
S73	2	("2001/0051515").URPN.	USPAT	ADJ	ON	2008/04/14 09:07
S74	43744	(mobile or executable or jump\$) adj (code or software or document or application or agent)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/04/14 09:07
S75	1	("6622157").PN.	US-PGPUB; USPAT	OR	OFF	2008/04/14 09:07
S76	7227	709/223.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/04/14 09:07
S77	7301	709/224.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/04/14 09:07

S78	3305	709/225.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/04/14 09:07
S79	3133	709/226.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/04/14 09:07
S80	3908	709/229.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/04/14 09:07
S81	20109	S75 or S76 or S77 or S78 or S79 or S80	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/04/14 09:07
S82	3399	(remove\$3 or replac\$3 or strip\$4 or eliminate) code	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/04/14 09:07
S83	35	S81 and S82	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/04/14 09:07
S84	40996	(remove or replace) near3 (code or app or application or source)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/04/14 09:07
S85	479	S81 and S84	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/04/14 09:07
S86	16257	"717".clas.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/04/14 09:07
S87	40996	(remove or replace) near3 (code or app or application or source)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/04/14 09:07

S88	1288	S86 and S87	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/04/14 09:07
S89	587	S88 and database	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/04/14 09:07
S90	1	10/686886	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/04/14 09:07
S91	1	10/686897	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/04/14 09:07
S92	38410	(jumping or mobile or intelligent or autonomous) near2 (application or agent)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/04/14 09:07
S93	46712	(jumping or mobile or intelligent or autonomous) near2 (application or agent or code)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/04/14 09:07
S94	2036	security and ((replace or remove or swap) same (code or malicious or virus) same (server or database or codebase))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/04/14 09:07
S95	269	S93 and S94	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/04/14 09:07
S96	7	09/591034	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/04/14 09:07
S97	47	"5787427"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/04/14 09:07



S98	47	"5787427"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/04/14 09:07
S99	3134	replac\$4 with (code or program) same (server or database or codebase)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/04/14 09:07
S100	231	S93 and S99	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/04/14 09:07
S101	1	replac\$4 with ((malicious or bad) (code or program)) same (server or database or codebase)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/04/14 09:07
S102	11	replac\$4 with ((malicious or bad) (code or program)) same (server or database or codebase)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/04/14 09:07
S103	163	replace with code with database	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/04/14 09:07
S104	0	replace same (untrusted or malicious or suspicious) (code or program) same (secure or trusted or protected) same (database or server or codebase)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/04/14 09:07
S105	115	replace same (malicious or untrusted or suspicious) same (code or program)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/04/14 09:07
S106	57	Jumping Beans	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/04/14 09:07
S107	29278	(replac\$4 or remov\$4 or swap\$4) same (code or program or software or executable) same (server or database or codebase)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/04/14 09:07

S108	13904	(replac\$4 or remov\$4 or swap\$4) with (code or program or software or executable) same (server or database or codebase)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/04/14 09:07
S109	13582	((client near2 server) or (hub near2 spoke)) (architecture or design or network)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/04/14 09:07
S110	765	S108 and S109	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/04/14 09:07
S111	472	(trusted or secur\$4) and S110	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/04/14 09:07
S112	67	(trusted or secur\$4) same S108 and S110	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/04/14 09:07
S113	441	replac\$4 with (safe or trusted or secure) with (code or executable or software or program)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/04/14 09:07
S114	68	restor\$4 with (safe or trusted or secure) with (code or executable or software or program) same (database or codebase or server)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/04/14 09:07
S115	33	"6065039"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/04/14 09:07
S116	1203	(restor\$4 or replac\$4) with (modif\$4 or alter\$4 or chang\$4 or tamp\$4) with (code or program or executable or software) same (database or codebase or server or secur\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/04/14 09:07

S117	313	(restor\$4 or replac\$4) with (modif\$4 or alter\$4 or chang\$4 or tamp\$4) with (code or program or executable or software) same (database or codebase or server or secur\$4) same (original or trusted or secure or safe)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/04/14 09:07
S118	420	726/30.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/04/14 09:07
S119	15	726/30.ccls. and (replac\$4 or remov\$4) (code or program or software or executable)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/04/14 09:07
S120	9	726/30.ccls. and (replac\$4 or remov\$4) (code or program or software or executable)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/04/14 09:07
S121	24203	(replac\$4 or remov\$4 or restor\$4 or swap\$4) and (original or trusted or unmodified or safe or tamper proof) and (code or program or software or executable) and ((trusted or secur\$4 or tamper proof or protected) near2 (code or codebase or database or server or processor or memory or storage))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/04/14 09:07
S122	249883	"726".clas. or "713".clas. or "380".clas. or "709".clas. or "455".clas.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/04/14 09:07
S123	10230	S121 and S122	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/04/14 09:07
S124	46712	(jumping or mobile or intelligent or autonomous) near2 (application or agent or code)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/04/14 09:07

S125	1076	S123 and S124	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/04/14 09:07
S126	7894	(replac\$4 or remov\$4 or restor\$4 or swap\$4) same (original or trusted or unmodified or safe or tamper proof) and (code or program or software or executable) and ((trusted or secur\$4 or tamper proof or protected) near2 (code or codebase or database or server or processor or memory or storage))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/04/14 09:07
S127	363	S125 and S126	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/04/14 09:07
S128	3261	(replac\$4 or remov\$4 or restor\$4 or swap\$4) same (original or trusted or unmodified or safe or tamper proof) same (code or program or software or executable) and ((trusted or secur\$4 or tamper proof or protected) near2 (code or codebase or database or server or processor or memory or storage))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/04/14 09:07
S129	193	S122 and S124 and S128	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/04/14 09:07

11/10/2008 6:56:52 AM

C:\Documents and Settings\rmoran\My Documents\EAST\Workspaces\10686886.wsp